

HSBC 200 S

INTEGRAL CYLINDER

PRODUCT-NO.: 234801

With the integral HSBC 200 S cylinder, instead of having the DHW cylinder and buffer cylinder standing side by side, they are arranged in a single appliance, piggyback style. This almost halves the space required and means the appliance can be installed in the smallest rooms – for more available floor area.

Excellent solution for detached houses.

Precisely matched to use with one heat pump, the HSBC covers everything required in a detached house in relation to heating and DHW, All that and in a convenient format, too!



The main features

Combi appliance comprising a DHW cylinder and a buffer cylinder

High level of integration – minimal installation effort

Integral heat pump manager WPM

Little space is required

Universal connection options at the upward facing connectors

Integrated pump assembly for one heating circuit without mixer



| Type | HSBC 200 | HSBC 200 S |
|-----------------------------------|----------|------------|
| Part no. | 233510 | 234801 |
| Nominal capacity, DHW cylinder | 168 l | 168 l |
| Nominal capacity, buffer cylinder | 100 l | 100 l |
| Height | 1908 mm | 1908 mm |
| Width | 680 mm | 680 mm |
| Depth | 871 mm | 871 mm |

Technical data

| | | |
|---|---|---|
| Energy efficiency class | B | B |
| Standby energy consumption/24 h at 65 °C | 1,3 kWh | 1,3 kWh |
| Surface, indirect coil | 3,3 m ² | 3,3 m ² |
| Rated control voltage | 230 V | 230 V |
| Rated voltage, emergency/booster heater | 400 V | 230 V |
| Power consumption, emergency/booster heater | 8,8 kW | 5,9 kW |
| Heat pump connection | 28 mm | 28 mm |
| Heating circuit connection | 22 mm | 22 mm |
| Cold water connection | 22 mm | 22 mm |
| DHW connection | 22 mm | 22 mm |
| DHW circulation connection | 12 mm | 12 mm |
| Height of unit when tilted | 2107 mm | 2107 mm |
| Weight | 203 kg | 203 kg |
| Suitable for | WPL 13/18 E, WPL 19/24, WPL 15/20/25 AC(S), WPL classic, WPL 33 HT(S) | WPL 19/24, WPL 15/20/25 AC(S), WPL classic, WPL 33 HT(S), HPA-O Premium, HPA-O plus |

Contact information

Any questions? We are happy to help:

Call **1800 153 351**

Write an email to **info@stibel.com.au**

Installation information

Please assign a registered electrician to install appliances that are not fully wired, i.e. ready to plug in.